2005 ANNUAL INDEXES

Textile Research Journal

Volume 75

AUTHOR AND TITLE INDEX, pp. 846–853

MONTH	PAGES
January	1–92
February	93–186
March	187–280
April	281–374
May	375–452
June	453–522

SUBJECT INDEX, pp. 854–860

MONTH	PAGES
July	523–582
August	583–638
September	639–698
October	699–750
November	751–800
December	801–850

AUTHOR AND TITLE INDEX

Abdelhady, F. An Integrated Approach to the Analysis of Multi-Component Fiber Blending. Part III: Analysis of Interactive Fiber Blending *(El Mogahzy, Farag, Mohamed)* ... 833

Abdessalem, S. B. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Mokhtar, Belaissia, Filali, Durand)* ... 784

Abidi, Noureddine Effects of the Origin of the Honeydew Contamination on Cotton Spinning Performances *(Hequet)* ... 699

Fourier Transform Infrared Analysis of Trehalulose and Sticky Cotton Yarn Defects Using ZnSe–Diamond Universal Attenuated Total Reflectance *(Hequet)* ... 645

HPLC of Insect Honeydew Deposits Collected from the High Speed Stickiness Detector *(Hequet)* ... 362

Objective Evaluation of Durable Press Treatments and Fabric Smoothness Ratings *(Hequet, Turner, Sari-Sarraf)* .. 19

Processing Sticky Cotton: Effect of Stickiness on Yarn Quality *(Hequet, Ethridge)* ... 402

Ahn, Cheunsoon Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Yoo, Oh, Han, Lee, Kim, Song, Rhie)* 139

Akbarov, Djamal Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens)* ... 197

Akbarov, Rustam Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Baymuratov, Westbroek, De Clerck, Kiekens)* ... 197

Akgun, Mine Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Alpay, Becerir)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Alpay, Becerir)* ... 607

Akin, Danny E. Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Sohn, Himmelsbach, Barton II)* ... 591

Alpay, Halil Rifat Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Becerir, Akgun)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Becerir, Akgun)* ... 607

Amano, Toshihiko A New Apparatus for the Study of Fabric Drape *(Mizutani, Sakaguchi)* ... 81

An, Seung Kook Transport and Mechanical Properties of Polyurethane Film Treated by Ultrasonic Energy *(Park, Jeong, Lee)* ... 425

Balasubramanian, K. K. Beck Dyeing Conditions Impact the Wear Performance of Nylon 66 Carpets Inserted with Low-Melt Polyamide Yarns *(Miller)* ... 213

Barker, Roger L. Cold Sensitivity Differences Between Body Sections Under Clothing *(Li, Wang, Zhang)* ... 208

Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part I: Thermophysical and Sensorial Properties of Fabrics *(Yoo)* ... 523

Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part II: Perceived Comfort Response to Garments and its Relationship to Fabric Properties *(Yoo)* ... 531

Moisture Vapor Transport Behavior of Polyester Knit Fabrics *(Prahsarn, Gupta)* ... 346

Barton, Franklin E. II Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Sohn, Himmelsbach, Akin)* ... 583

Baymuratov, Bakhodir Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Akbarov, Westbroek, De Clerck, Kiekens)* ... 197

Becerir, Behcet Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Alpay, Akgun)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Alpay, Akgun)* ... 607

Carrier Dyeing of Different Energy Level Disperse Dyes on Polyester Fabric *(Iskender, Koruyucu)* ... 462

Bechtold, Thomas Drying Rates in Resin Treatment of Lyocell Fabrics *(Manian)* 258

A Pilling Mechanism of Man-Made Cellulosic Fabrics-Effects of Fibrillation *(Okubayashi)* ... 288

Belaissia, H. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Abdessalem, Mokhtar, Filali, Durand)* ... 784

Beltran, Rafael Predicting the Pilling Propensity of Fabrics through Artificial Neural Network Modeling *(Wang, Wang)* ... 557

Bezúr, L. Role of EDTA Chelating Agent in Bioscouring of Cotton *(Losonczi, Csiszár, Skakács)* ... 411

Bhat, Gajanan S. Statistical Analysis of the Effect of Processing Conditions on the Strength of Thermal Point-Bonded Cotton-Based Nonwovens *(Rong, Leon)* ... 35

Borden, Roy H. Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Lee, Rust, Hamouda, Kim)* ... 123

2005 ANNUAL INDEXES

Textile Research Journal

Volume 75

AUTHOR AND TITLE INDEX, pp. 846–853

MONTH	PAGES
January	1–92
February	93–186
March	187–280
April	281–374
May	375–452
June	453–522

SUBJECT INDEX, pp. 854–860

MONTH	PAGES
July	523–582
August	583–638
September	639–698
October	699–750
November	751–800
December	801–850

AUTHOR AND TITLE INDEX

Abdelhady, F. An Integrated Approach to the Analysis of Multi-Component Fiber Blending. Part III: Analysis of Interactive Fiber Blending *(El Mogahzy, Farag, Mohamed)* ... 833

Abdessalem, S. B. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Mokhtar, Belaissia, Filali, Durand)* ... 784

Abidi, Noureddine Effects of the Origin of the Honeydew Contamination on Cotton Spinning Performances *(Hequet)* ... 699

Fourier Transform Infrared Analysis of Trehalulose and Sticky Cotton Yarn Defects Using ZnSe–Diamond Universal Attenuated Total Reflectance *(Hequet)* ... 645

HPLC of Insect Honeydew Deposits Collected from the High Speed Stickiness Detector *(Hequet)* ... 362

Objective Evaluation of Durable Press Treatments and Fabric Smoothness Ratings *(Hequet, Turner, Sari-Sarraf)* .. 19

Processing Sticky Cotton: Effect of Stickiness on Yarn Quality *(Hequet, Ethridge)* ... 402

Ahn, Cheunsoon Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Yoo, Oh, Han, Lee, Kim, Song, Rhie)* 139

Akbarov, Djamal Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens)* ... 197

Akbarov, Rustam Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Baymuratov, Westbroek, De Clerck, Kiekens)* ... 197

Akgun, Mine Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Alpay, Becerir)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Alpay, Becerir)* ... 607

Akin, Danny E. Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Sohn, Himmelsbach, Barton II)* ... 591

Alpay, Halil Rifat Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Becerir, Akgun)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Becerir, Akgun)* ... 607

Amano, Toshihiko A New Apparatus for the Study of Fabric Drape *(Mizutani, Sakaguchi)* ... 81

An, Seung Kook Transport and Mechanical Properties of Polyurethane Film Treated by Ultrasonic Energy *(Park, Jeong, Lee)* ... 425

Balasubramanian, K. K. Beck Dyeing Conditions Impact the Wear Performance of Nylon 66 Carpets Inserted with Low-Melt Polyamide Yarns *(Miller)* ... 213

Barker, Roger L. Cold Sensitivity Differences Between Body Sections Under Clothing *(Li, Wang, Zhang)* ... 208

Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part I: Thermophysical and Sensorial Properties of Fabrics *(Yoo)* ... 523

Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part II: Perceived Comfort Response to Garments and its Relationship to Fabric Properties *(Yoo)* ... 531

Moisture Vapor Transport Behavior of Polyester Knit Fabrics *(Prahsarn, Gupta)* ... 346

Barton, Franklin E. II Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Sohn, Himmelsbach, Akin)* ... 583

Baymuratov, Bakhodir Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Akbarov, Westbroek, De Clerck, Kiekens)* ... 197

Becerir, Behcet Assessing Reflectance and Color Differences of Cotton Fabrics after Abrasion *(Alpay, Akgun)* ... 357

Assessment of Reflectance and Color Differences of Wool Fabrics after Abrasion *(Alpay, Akgun)* ... 607

Carrier Dyeing of Different Energy Level Disperse Dyes on Polyester Fabric *(Iskender, Koruyucu)* ... 462

Bechtold, Thomas Drying Rates in Resin Treatment of Lyocell Fabrics *(Manian)* 258

A Pilling Mechanism of Man-Made Cellulosic Fabrics-Effects of Fibrillation *(Okubayashi)* ... 288

Belaissia, H. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Abdessalem, Mokhtar, Filali, Durand)* ... 784

Beltran, Rafael Predicting the Pilling Propensity of Fabrics through Artificial Neural Network Modeling *(Wang, Wang)* ... 557

Bezúr, L. Role of EDTA Chelating Agent in Bioscouring of Cotton *(Losonczi, Csiszár, Skakács)* ... 411

Bhat, Gajanan S. Statistical Analysis of the Effect of Processing Conditions on the Strength of Thermal Point-Bonded Cotton-Based Nonwovens *(Rong, Leon)* ... 35

Borden, Roy H. Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Lee, Rust, Hamouda, Kim)* ... 123

Bosak, D. R. Biocomponent Fibers Derived from Immiscible Polymer Blends *(Ogale, Van Dun)* 50
Brushwood, Donald E. Changes in Non-fibrous Material Content of Cotton during Yarn Processing 616
Predicting Yarn Processing Peformance from the Noncellulosic Content of Raw Cottons 1
Bueno, M.-A. Characterization of Roughness–Friction: Example with Nonwovens *(Marsiquet, Renner, Nicolletti)* 826
Buschle-Diller, Gisela Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part I: Role of the Spinning System *(Radhakrishnaiah, He, Cook)* 265
Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part II: Influence of Fiber Disposition *(Radhakrishnaiah, He, Cook)* 293

Calamari, T. A. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Fink, Rajasekharan, Sachinvala, Sawhney, Parikh)* 134
Candan, Cevza Properties of Three-Thread Fleece Fabrics *(Ozcan)* 129
Cardamone, Jeanette M. Combined Bleaching, Shrinkage Prevention, and Biopolishing of Wool Fabrics *(Yao, Phillips)* 169
Cardello, Armand V. Perceptions of Fiber and Fabric Uses and the Factors Contributing to Military Clothing Comfort and Satisfaction *(Schutz, Winterhalter)* 223
Carr, D. J. Fibers from Three Cultivars of New Zealand Flax *(Phormium tenax) (Cruthers, Laing, Niven)* 93
Çeven, Erhan Kenan Effect of Chenille Yarn Parameters on Yarn Shrinkage Behavior *(Özdemir)* 219
Chang, C. W. Production of a Polyester Core-Spun Yarn with Spandex Using a Multi-section Drawing Frame and a Ring Spinning Frame *(Lou, Lin, Lei, Hsing)* 395
Chen, Nanliang An Improved MWK Structure for Composite Reinforcement *(Zhou, Hu, Feng)* 342
Chen, Ting Effects of Processing Parameters on the Fiber Diameter of Melt Blown Nonwoven Fabrics *(Wang, Huang)* 76
Chen, W. Strength, Surface Energy, and Ageing of Meltblown and Electrospun Nylon and Polyurethane (PU) Fabrics Treated by a One Atmosphere Uniform Glow Discharge Plasma (OAUGDP™) *(Tsai, Roth)* 819
Chen, Wen Xing Copper(II)-Silk Fibroin Complex Fibers as Air-Purifying Materials for Removing Ammonia *(Chen, Lu, Yao, Pan, Shen)* 326
Chen, X. Characteristics of Cloth Formation in Weaving and Their Influence on Fabric Parameters *(Chen)* 281
Cheng, K. P. S. Determining the Cross-Sectional Packing Density of Rotor Spun Yarns *(Jiang, Hu, Postle)* 233
Cheng, Xiao-yin Heat and Moisture Transfer with Sorption and Phase Change Through Clothing Assemblies Part I: Experimental Investigation *(Fan)* 99
Heat and Moisture Transfer with Sorption and Phase Change Through Clothing Assemblies Part II: Theoretical Modeling, Simulation, and Comparison with Experimental Results *(Fan)* 187
Cheng, Yao-Yi Crystallization and Properties of Poly(ethylene 2,6-Naphthalate)/Poly(tri-methylene Terephthalate) Blends *(Hsueh)* 144
Chiu, Shih-Hsuan Fiber Recognition of PET/Rayon Composite Yarn Cross-sections Using Voting Techniques *(Liaw)* .. 442
Cho, Gilsoo Physiological and Subjective Evaluation of the Rustling Sounds of Polyester Warp Knitted Fabrics *(Cho, Kim, Ha)* 312
Cho, Jayoung Physiological and Subjective Evaluation of the Rustling Sounds of Polyester Warp Knitted Fabrics *(Cho, Kim, Ha)* 312
Choi, P. S. R. Factors Affecting the Color Yield of an Ink-Jet Printed Cotton Fabric *(Yuen, Ku, Kan)* 319
Chung, K. Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part I: Wrinkle, Smoothness and Seam Pucker *(Kang, Kim, Sul, Youn)* 751
Cook, Fred L. Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part I: Role of the Spinning System *(Radhakrishnaiah, He, Buschle-Diller)* 265
Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part II: Influence of Fiber Disposition *(Radhakrishnaiah, He, Buschle-Diller)* 293
Cruthers, N. M. Fibers from Three Cultivars of New Zealand Flax *(Phormium tenax) (Carr, Laing, Niven)* 93
Csiszár, E. Role of EDTA Chelating Agent in Bioscouring of Cotton *(Losonczi, Skakács, Bezúr)* 411

Dai, Xiao-Qun The Application of the Volumetric Subdivision Scheme in the Simulation of Elastic Human Body Deformation and Garment Pressure *(Wang, Luo, Li, You)* 591
De Clerck, Karen Influence of Fiber Surface Purity on Wicking Properties of Needle-Punched Nonwoven after Oxygen Plasma Treatment *(Verschuren, Van Herzele, Kienkens)* . 437
Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Baymuratov, Akbarov, Westbroek, Kiekens)* 197
De Meulemeester, S. Simulation of the Dynamic Yarn Behavior on Airjet Looms *(Githaiga, Van Langenhove, Hung)* ... 724
Demiroz, Ahu Prediction of Large Deformation Behavior of Fabric Using Galerkin Finite Element Method 662
Dickey, David A. Stress Relaxation of Tufted Carpets and Carpet Components: Analysis of the Tufted Carpet Structure *(Phillips, Ghosh)* 485
Doi, Chizuko Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Lee, Wakida, Tokuyama, Lim, Jeon)* ... 13
Doyle, Margaret J. Uptake of Copper (II) by Wool *(Sheffield)* . 203
Drean, J. Y. Evaluating the Fineness of *Agave Americana* L. Fibers *(Msahli, Sakli)* 540
Durand, B. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Abdessalem, Mokhtar, Belaissia, Filali)* 784

El Mogahzy, Y. An Integrated Approach to the Analysis of Multi-Component Fiber Blending. Part III: Analysis of Interactive Fiber Blending *(Farag, Abdelhady, Mohamed)* 833
Enomoto, Masao Measuring the Streaming Potential of Polyurethane Blend Dope-Coated Fabrics *(Muraoka, Igarashi, Shimizu, Nishizawa)* 73
Ethridge, Dean Processing Sticky Cotton: Effect of Stickiness on Yarn Quality *(Hequet, Abidi)* 402

Fan, Jintu Heat and Moisture Transfer with Sorption and Phase Change Through Clothing Assemblies Part I: Experimental Investigation *(Cheng)* 99
Heat and Moisture Transfer with Sorption and Phase Change Through Clothing Assemblies Part II: Theoretical Modeling, Simulation, and Comparison with Experimental Results *(Cheng)* 187
Fan, Qinguo Nanoclay and Modified Nanoclay as Sorbents for Anionic, Cationic and Nonionic Dyes *(Yang, Han, Ugbolue)* 622
Farag, R. An Integrated Approach to the Analysis of Multi-Component Fiber Blending. Part III: Analysis of Interactive Fiber Blending *(El Mogahzy, Abdelhady, Mohamed)* 833
Feng, Xunwei An Improved MWK Structure for Composite Reinforcement *(Zhou, Hu, Chen)* 342
Filali, N. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Abdessalem, Mokhtar, Belaissia, Durand)* 784

Fink, T. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Rajasekharan, Sachinvala, Sawhney, Calamari, Parikh)* 134
French, Alfred D. Cotton Fiber Properties and Moisture: Water of Imbibition *(Rousselle, Thibodeaux)* 177
Furutani, Minoru Predicting Mechanical Properties and Hand Values from the Parameters of Weave Structures *(Morino, Matsudaira)* 252

Geršak, Jelka Thread Loadings in Different Measuring Positions on the Sewing Maching *(Žunič-Lojen)* 498
Ghosh, Anindys Analysis of Spun Yarn Failure Part I: Tensile Failure of Yarns as a Function of Structure and Testing Parameters *(Ishtiaque, Rengasamy)* 731
Analysis of Spun Yarn Failure Part II: The Translation of Strength from Fiber Bundle to Different Spun Yarns *(Ishtiaque, Rengasamy)* 741
Ghosh, Tushar K. Stress Relaxation of Tufted Carpets and Carpet Components: Analysis of the Tufted Carpet Structure *(Phillips, Dickey)* 485
Githaiga, J. Simulation of the Dynamic Yarn Behavior on Airjet Looms *(De Meulemeester, Van Langenhove, Hung)* 724
Godfrey, Thomas A. Influence of Slipping Friction on Stress Concentration in Blended Yarns *(Rossettos)* 43
A Micromechanical Model for Slit-damaged Braided Fabric Air-beams *(Rossettos)* 562
Guo, Jiansheng Predicting the Warp Breakage Rate in Weaving by Neural Network Techniques *(Yao, Zhou)* 274
Gupta, B. S. Moisture Vapor Transport Behavior of Polyester Knit Fabrics *(Prahsarn, Barker)* 346
Gurarda, Ayca Sewing Needle Penetration Forces and Elastane Fiber Damage during the Sewing of Cotton/Elastane Woven Fabrics *(Meric)* 623

Ha, Jiyoung Physiological and Subjective Evaluation of the Rustling Sounds of Polyester Warp Knitted Fabrics *(Cho, Cho, Kim)* 312
Ha, Joo Young A Process for Optimizing Sewing Conditions to Minimize Seam Pucker Using the Taguchi Method *(Park)* 245
Håkanson, Johan M. Liquid Permeability of an Anisotropic Fiber Web *(Toll, Lundström)* 304
Hamouda, Hechmi Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Lee, Rust, Kim, Borden)* 123
Han, Sam-Sook Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Oh, Lee, Kim, Song, Rhie)* 139
Han, Shinyoung Nanoclay and Modified Nanoclay as Sorbents for Anionic, Cationic and Nonionic Dyes *(Yang, Fan, Ugbolue)* 622
He, Ji-Huan Controlling the Air Vortex Twist in Air-Jet Spinning *(Zeng, Wan, Yu)* 175
A Linear Dynamic Model for Two-Strand Yarn Spinning *(Yu, Yu, Li, Wang, Pan)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(Yu, Yu, Li, Wang, Pan)* 181
He, Jingwe Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part I: Role of the Spinning System *(Radhakrishnaiah, Cook, Buschle-Diller)* 265
He, Jingwu Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part II: Influence of Fiber Disposition *(Radhakrishnaiah, Cook, Buschle-Diller)* 293
Hequet, Eric Effects of the Origin of the Honeydew Contamination on Cotton Spinning Performances *(Abidi)* 699
Fourier Transform Infrared Analysis of Trehalulose and Sticky Cotton Yarn Defects Using ZnSe–Diamond Universal Attenuated Total Reflectance *(Abidi)* 645
HPLC of Insect Honeydew Deposits Collected from the High Speed Stickiness Detector *(Abidi)* 362
Objective Evaluation of Durable Press Treatments and Fabric Smoothness Ratings *(Abidi, Turner, Sari-Sarraf)* ... 19
Processing Sticky Cotton: Effect of Stickiness on Yarn Quality *(Abidi, Ethridge)* 402
Himmelsbach, David S. Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Sohn, Akin, Barton II)* 583
Hockenberger, A. S. Investigating Changes in Mechanical Properties and Tissue Reaction of Silk, Polyester, Polyamide, and Prolypropylene Sutures *in Vivo (Karaca, Yildiz)* 297
Recovery from Strain and Shrinkage Measurements of Poly(*m*-methylene Terephthalate) and Poly(ethylene 2,6-Naphthalate) Fibers *(Koral, Wilding)* 111
Hong, Kyung Hwa Effect of Abrasion and Absorbed Water on the Handle of Nonwovens for Disposable Diapers *(Kim, Kang, Oh)* 544
Image Analysis for Quantifying Marquisette Damage in Home Laundering *(Kim, Kang, Xu)* 474
Hongyo, Setsuaki Dyeing Polyester Fabrics with Indigo *(Kunitou, Maeda, Mishima)* 149
Hsieh, You-Lo Distribution of Single Fiber Tensile Properties of Four Cotton Genotypes *(Liu, Yang)* 117
Hsing, W. H. Production of a Polyester Core-Spun Yarn with Spandex Using a Multi-section Drawing Frame and a Ring Spinning Frame *(Lou, Chang, Lin, Lei)* 395
Hsueh, Yu-Lun Crystallization and Properties of Poly(ethylene 2,6-Naphthalate)/Poly(tri-methylene Terephthalate) Blends *(Cheng)* 144
Hu, Hong An Improved MWK Structure for Composite Reinforcement *(Zhou, Chen, Feng)* 342
Hu, J. L. Determining the Cross-Sectional Packing Density of Rotor Spun Yarns *(Jiang, Cheng, Postle)* 233
Hu, Junyan Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties *(Li, Yeung, Wong, Xu)* 57
Huang, Xiubao Effects of Processing Parameters on the Fiber Diameter of Melt Blown Nonwoven Fabrics (*Chen, Wang*) 76
Hung, D. V. Simulation of the Dynamic Yarn Behavior on Airjet Looms *(De Meulemeester, Githaiga, Van Langenhove)* . 724
Hwang, Y. J. Effects of Helium Atmospheric Pressure Plasma Treatment on Low-Stress Mechanical Properties of Polypropylene Nonwoven Fabrics *(McCord)* 771

Igarashi, Chiaki Measuring the Streaming Potential of Polyurethane Blend Dope-Coated Fabrics *(Muraoka, Enomoto, Shimizu, Nishizawa)* 73
Inagaki, H. In Memory, Masao Horio 1905–1996, 375
Ishtiaque, S. M. Analysis of Spun Yarn Failure Part I: Tensile Failure of Yarns as a Function of Structure and Testing Parameters *(Ghosh, Rengasamy)* 731
Analysis of Spun Yarn Failure Part II: The Translation of Strength from Fiber Bundle to Different Spun Yarns *(Ghosh, Rengasamy)* 741
Iskender, Mustafa A. Carrier Dyeing of Different Energy Level Disperse Dyes on Polyester Fabric *(Becerir, Koruyucu)* . 462

Jalili, Nader Functional Nanotube-based Textiles: Pathway to Next Generation Fabrics with Enhanced Sensing Capabilities *(Laxminarayana)* 670
Jeon, Sung-Ki Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Lee, Wakida, Tokuyama, Doi, Lim)* 13
Jeong, Sung Hoon Bacteriostasis and Skin Innoxiousness of Nanosize Silver Colloids on Textile Fabrics *(Lee)* 551
Jeong, Won Young Transport and Mechanical Properties of Polyurethane Film Treated by Ultrasonic Energy *(Park, An, Lee)* 425

Jiang, Wan-Chao Applying a Bisulfite Adduct of Polyisocyanante to Cotton Fabrics as a Durable Press Finishing Agent *(Meng, Qing)* 39
A Novel Perfluoroalkyl-Containing Bisulfite Adduct of Polyisocyanate: Synthesis and Finishing of Cotton Fabrics *(Meng, Qing)* 240
Jiang, X. Y. Determining the Cross-Sectional Packing Density of Rotor Spun Yarns *(Hu, Cheng, Postle)* 233
Jo, Seong Mu Dry Jet-Wet Spinning of Cellulose/*N*-Methylmorpholine *N*-oxide Hydrate Solutions and Physical Properties of Lyocell Fibers *(Kim, Pak, Lee)* 331
Jump, Joseph M. Bio-Polishing of Polyester and Polyester/Cotton Fabric *(McCloskey)* 480
Jung, Jae Ho Large Deflection Analysis of Fibers with Nonlinear Elastic Properties *(Kang)* 715

Kan, C. W. Factors Affecting the Color Yield of an Ink-Jet Printed Cotton Fabric *(Yuen, Ku, Choi)* 319
Kang, T. J. Effect of Abrasion and Absorbed Water on the Handle of Nonwovens for Disposable Diapers *(Hong, Kim, Oh)* 544
Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part I: Wrinkle, Smoothness and Seam Pucker *(Kim, Sul, Youn, Chung)* 751
Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part II: Fabric Pilling Evaluation *(Kim)* 761
Image Analysis for Quantifying Marquisette Damage in Home Laundering *(Kim, Hong, Xu)* 474
Image Analysis of Standard Pilling Photographs Using Wavelet Reconstruction *(Kim)* 801
Large Deflection Analysis of Fibers with Nonlinear Elastic Properties *(Jung)* 715
Kao, Chih-Yuan Color and Pattern Analysis of Printed Fabric by an Unsupervised Clustering Method *(Kuo, Shih, Lee)* . 9
Karaca, E. Investigating Changes in Mechanical Properties and Tissue Reaction of Silk, Polyester, Polyamide, and Prolypropylene Sutures *in Vivo (Hockenberger, Yildiz)* . 297
Karakaş, Hale Canbaz Effect of Lyocell Blend Yarn and Pile Type on the Properties of Pile Loop Knit Fabrics *(Uçar)* 352
Kiekens, Paul Influence of Fiber Surface Purity on Wicking Properties of Needle-Punched Nonwoven after Oxygen Plasma Treatment *(Verschuren, Van Herzele, De Clerck)* 437
Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Baymuratov, Akbarov, Westbroek, De Clerck)* 197
Kim, Chunjeong Physiological and Subjective Evaluation of the Rustling Sounds of Polyester Warp Knitted Fabrics *(Cho, Cho, Ha)* 312
Kim, Dong Bok Dry Jet-Wet Spinning of Cellulose/*N*-Methylmorpholine *N*-oxide Hydrate Solutions and Physical Properties of Lyocell Fibers *(Kim, Pak, Jo, Lee)* 331
Kim, Eunae Sensorial Property Evaluation of Scoured Silk Fabrics Using Quad Analysis *(Kim, Yoo)* 418
Kim, Jeong-Jin Sensorial Property Evaluation of Scoured Silk Fabrics Using Quad Analysis *(Kim, Yoo, Kim)* 418
Kim, Jung Hee Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Oh, Han, Lee, Song, Rhie)* 139
Kim, S. C. Effect of Abrasion and Absorbed Water on the Handle of Nonwovens for Disposable Diapers *(Hong, Kang, Oh)* 544
Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part I: Wrinkle, Smoothness and Seam Pucker *(Kang, Sul, Youn, Chung)* 751
Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part II: Fabric Pilling Evaluation *(Kang)* ... 761
Image Analysis for Quantifying Marquisette Damage in Home Laundering *(Kang, Hong, Xu)* 474
Image Analysis of Standard Pilling Photographs Using Wavelet Reconstruction *(Kang)* 801
Kim, Y. Richard Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Lee, Rust, Hamouda, Borden)* . 123
Koral, S. Recovery from Strain and Shrinkage Measurements of Poly(*m*-methylene Terephthalate) and Poly(ethylene 2,6-Naphthalate) Fibers *(Hockenberger, Wilding)* 111
Koruyucu, Aslihan Carrier Dyeing of Different Energy Level Disperse Dyes on Polyester Fabric *(Iskender, Becerir)* . 462
Ku, S. K. A. Factors Affecting the Color Yield of an Ink-Jet Printed Cotton Fabric *(Yuen, Choi, Kan)* 319
Ku, Te-Hsing Shear Flow Properties and Melt Spinning of Thermoplastic Polyvinyl Alcohol Melts *(Lin)* 681
Kunitou, Katsushi Dyeing Polyester Fabrics with Indigo *(Kunitou, Hongyo, Maeda, Mishima)* 149
Kuo, Chung-Feng Jeffrey Color and Pattern Analysis of Printed Fabric by an Unsupervised Clustering Method *(Shih, Kao, Lee)* 9
Repeat Pattern Segmentation of Printed Fabrics by Hough Transform Method *(Shih, Lee)* 779

Lai, Wen-Chuan Optimum Drafting Conditions of Polypropylene Spun Yarns *(Su)* 6
Laing, R. M. Fibers from Three Cultivars of New Zealand Flax *(Phormium tenax) (Carr, Cruthers, Niven)* 93
Lappage, James End Breaks in the Spinning and Weaving of Weavable Singles Yarns Part 1: End Breaks in Spinning . 507
End Breaks in the Spinning and Weaving of Weavable Singles Yarns Part 2: End Breaks in Weaving 512
Latifi, M. Computer Vision-Aided Fabric Inspection System for On-Circular Knitting Machine *(Saeidi, Najar, Saeidi)* .. 492
Laxminarayana, Karthik Functional Nanotube-based Textiles: Pathway to Next Generation Fabrics with Enhanced Sensing Capabilities *(Jalili)* 670
Lee, Hoon Joo Bacteriostasis and Skin Innoxiousness of Nanosize Silver Colloids on Textile Fabrics *(Jeong)* 551
Lee, Hye Ja Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Oh, Han, Kim, Song, Rhie)* 139
Lee, J.-Y. Repeat Pattern Segmentation of Printed Fabrics by Hough Transform Method *(Kuo, Shih)* 779
Lee, Jae Ho Transport and Mechanical Properties of Polyurethane Film Treated by Ultrasonic Energy *(Park, Jeong, An)* 425
Lee, Jiunn-Yih Color and Pattern Analysis of Printed Fabric by an Unsupervised Clustering Method *(Kuo, Shih, Kao)* .. 9
Lee, Kyung Woo Bending Analysis of Nonlinear Material Fibers with a Generalized Elliptical Cross-section 710
Torsional Analysis of Fibers with a Generalized Elliptical Cross-section 377
Lee, Muncheul Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Wakida, Tokuyama, Doi, Lim, Jeon)* . 13
Lee, S. Joon Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Rust, Hamouda, Kim, Borden)* 123
Lee, Wha Seop Dry Jet-Wet Spinning of Cellulose/*N*-Methylmorpholine *N*-oxide Hydrate Solutions and Physical Properties of Lyocell Fibers *(Kim, Pak, Jo)* 331
Lei, C. H. Production of a Polyester Core-Spun Yarn with Spandex Using a Multi-section Drawing Frame and a Ring Spinning Frame *(Lou, Chang, Lin, Hsing)* 395
Leon, Ramon V. Statistical Analysis of the Effect of Processing Conditions on the Strength of Thermal Point-Bonded Cotton-Based Nonwovens *(Rong, Bhat)* 35
Li, Jun Cold Sensitivity Differences Between Body Sections Under Clothing *(Wang, Zhang, Barker)* 208
Li, Jun-Ying Absorption Characteristics of Phenolic-Based Carbon Fiber Absorbents *(Su, Wang)* 154

Li, Wei-Ru A Linear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Wang, Pan)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Wang, Pan)* 181
Li, Yi The Application of the Volumetric Subdivision Scheme in the Simulation of Elastic Human Body Deformation and Garment Pressure *(Wang, Luo, Dai, You)* 591
Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties *(Hu, Yeung, Wong, Xu)* 57
Liaw, Jiun-Jian Fiber Recognition of PET/Rayon Composite Yarn Cross-sections Using Voting Techniques *(Chiu)* .. 442
Lim, Yong Jin Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Lee, Wakida, Tokuyama, Doi, Jeon)* ... 13
Limem, Skander Adhesive Point-Bonded Spunbond Fabrics *(Warner)* 63
Lin, Chin-An Shear Flow Properties and Melt Spinning of Thermoplastic Polyvinyl Alcohol Melts *(Ku)* 681
Lin, Ching-Wen Manufacture and Application of High-Performance Geogrids with PP/PET Composite Covered Yarn *(Lin)* 453
Lin, J. H. Production of a Polyester Core-Spun Yarn with Spandex Using a Multi-section Drawing Frame and a Ring Spinning Frame *(Lou, Chang, Lei, Hsing)* 395
Lin, Jia-Horng Manufacture and Application of High-Performance Geogrids with PP/PET Composite Covered Yarn *(Lin)* 453
Novel Compound Cushion Layer for Reinforcement of Ballistic Resistance *(Lin)* 431
Recycling Polyester and Polypropylene Nonwoven Selvages to Produce Functional Sound Absorption Composites *(Lou, Su)* 390
Liu, Jihua Distribution of Single Fiber Tensile Properties of Four Cotton Genotypes *(Yang, Hsieh)* 117
Losonczi, A. Role of EDTA Chelating Agent in Bioscouring of Cotton *(Csiszár, Skakács, Bezúr)* 411
Lou, C. W. Production of a Polyester Core-Spun Yarn with Spandex Using a Multi-section Drawing Frame and a Ring Spinning Frame *(Chang, Lin, Lei, Hsing)* 395
Lou, Ching-Wen Process of Complex Core Spun Yarn Containing a Metal Wire 466
Recycling Polyester and Polypropylene Nonwoven Selvages to Produce Functional Sound Absorption Composites *(Lin, Su)* 390
Lu, Su Fang Copper(II)-Silk Fibroin Complex Fibers as Air-Purifying Materials for Removing Ammonia *(Chen, Yao, Pan, Shen)* 326
Lundström, T. Staffan Liquid Permeability of an Anisotropic Fiber Web *(Håkanson, Toll)* 304
Luo, Xiao-Nan The Application of the Volumetric Subdivision Scheme in the Simulation of Elastic Human Body Deformation and Garment Pressure *(Wang, Li, Dai, You)* 591

Maeda, Shingo Dyeing Polyester Fabrics with Indigo *(Kunitou, Hongyo, Mishima)* 149
Manian, Avinash P. Drying Rates in Resin Treatment of Lyocell Fabrics *(Bechtold)* 258
Marsiquet, C. Characterization of Roughness–Friction: Example with Nonwovens *(Renner, Bueno, Nicolletti)* 826
Matsudaira, Mitsuo Predicting Mechanical Properties and Hand Values from the Parameters of Weave Structures *(Morino, Furutani)* 252
McCloskey, Stefanie G. Bio-Polishing of Polyester and Polyester/Cotton Fabric *(Jump)* 480
McCord, M. G. Effects of Helium Atmospheric Pressure Plasma Treatment on Low-Stress Mechanical Properties of Polypropylene Nonwoven Fabrics *(Hwang)* 771
Meng, Wei-Dong A Novel Perfluoroalkyl-Containing Bisulfite Adduct of Polyisocyanate: Synthesis and Finishing of Cotton Fabrics *(Jiang, Qing)* 240
Applying a Bisulfite Adduct of Polyisocyanante to Cotton Fabrics as a Durable Press Finishing Agent *(Jiang, Qing)* 39
Merati, A. A. Effect of Yarn Draw-off Angle on the Yarn Properties in Friction Spinning *(Okamura)* 812
Meric, Binnaz Sewing Needle Penetration Forces and Elastane Fiber Damage during the Sewing of Cotton/Elastane Woven Fabrics *(Gurarda)* 628
Miller, R. W. Beck Dyeing Conditions Impact the Wear Performance of Nylon 66 Carpets Inserted with Low-Melt Polyamide Yarns *(Balasubramanian)* 213
Mishima, Kenji Dyeing Polyester Fabrics with Indigo *(Kunitou, Hongyo, Maeda)* 149
Mizutani, Chiyomi A New Apparatus for the Study of Fabric Drape *(Amano, Sakaguchi)* 81
Mohamed, A. An Integrated Approach to the Analysis of Multi-Component Fiber Blending. Part III: Analysis of Interactive Fiber Blending *(El Mogahzy, Farag, Abdelhady)* .. 833
Mokhtar, S. Mechanical Behavior of a Textile Polyester Vascular Prosthesis: Theoretical and Experimental Study *(Abdessalem, Belaissia, Filali, Durand)* 784
Morino, Hitomi Predicting Mechanical Properties and Hand Values from the Parameters of Weave Structures *(Matsudaira, Furutani)* 252
Msahli, S. Evaluating the Fineness of *Agave Americana* L. Fibers *(Drean, Sakli)* 540
Muraoka, Yoichiro Measuring the Streaming Potential of Polyurethane Blend Dope-Coated Fabrics *(Enomoto, Igarashi, Shimizu, Nishizawa)* 73

Najar, S. Shaikhzadeh Computer Vision-Aided Fabric Inspection System for On-Circular Knitting Machine *(Saeidi, Latifi, Saeidi)* 492
Nicolletti, N. Characterization of Roughness–Friction: Example with Nonwovens *(Marsiquet, Renner, Bueno)* 826
Nishizawa, Kazuo Measuring the Streaming Potential of Polyurethane Blend Dope-Coated Fabrics *(Muraoka, Enomoto, Igarashi, Shimizu)* 73
Niven, B. E. Fibers from Three Cultivars of New Zealand Flax *(Phormium tenax) (Carr, Cruthers, Laing)* 93

Ogale, A. A. Biocomponent Fibers Derived from Immiscible Polymer Blends *(Bosak, Van Dun)* 50
Oh, Kyung Wha Effect of Abrasion and Absorbed Water on the Handle of Nonwovens for Disposable Diapers *(Hong, Kim, Kang)* 544
Oh, Young-Se Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Han, Lee, Kim, Song, Rhie)* 139
Okamura, M. Effect of Yarn Draw-off Angle on the Yarn Properties in Friction Spinning *(Merati)* 812
Okubayashi, S. A Pilling Mechanism of Man-Made Cellulosic Fabrics—Effects of Fibrillation *(Bechtold)* 288
Ortlek, Huseyin Gazi Effect of Some Variables on Properties of 100% Cotton Vortex Spun Yarn *(Ulku)* 458
Ozcan, Gulay Properties of Three-Thread Fleece Fabrics *(Candan)* 129
Özdemir, Ö. Effect of Chenille Yarn Parameters on Yarn Shrinkage Behavior *(Çeven)* 219

Pak, James Jungho Dry Jet-Wet Spinning of Cellulose/*N*-Methylmorpholine *N*-oxide Hydrate Solutions and Physical Properties of Lyocell Fibers *(Kim, Jo, Lee)* 331
Pan, N. Grab and Strip Tensile Strengths for Woven Fabrics: An Experimental Verification *(Wu)* 789

A Linear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Li, Wang)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Li, Wang)* 181
Pan, Yong Copper(II)-Silk Fibroin Complex Fibers as Air-Purifying Materials for Removing Ammonia *(Chen, Lu, Yao, Shen)* 326
Parikh, Ashish D. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Fink, Rajasekharan, Sachinvala, Sawhney, Calamari)* 134
Parikh, D. V. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Fink, Rajasekharan, Sachinvala, Sawhney, Calamari, Parikh)* 134
Park, Chang Kyu A Process for Optimizing Sewing Conditions to Minimize Seam Pucker Using the Taguchi Method *(Ha)* 245
Park, Jung Woo Transport and Mechanical Properties of Polyurethane Film Treated by Ultrasonic Energy *(Jeong, An, Lee)* 425
Phillips, John G. Combined Bleaching, Shrinkage Prevention, and Biopolishing of Wool Fabrics *(Cardamone, Yao)* .. 169
Phillips, Kristie J. Stress Relaxation of Tufted Carpets and Carpet Components: Analysis of the Tufted Carpet Structure *(Ghosh, Dickey)* 485
Postle, R. Determining the Cross-Sectional Packing Density of Rotor Spun Yarns *(Jiang, Hu, Cheng)* 233
Pourdeyhimi, B. A Note on Jet Streaks in Hydroentangled Nonwovens *(Shim)* 569
Prahsarn, C. Moisture Vapor Transport Behavior of Polyester Knit Fabrics *(Barker, Gupta)* 346
Provatidis, Christopher G. Optimization Aspects on the Hand of the Fabrics *(Vassiliadis, Venetsanos)* 653

Qin, Pengfei Air Flow in a Pneumatic Splicer by CFD *(Zhou)* . 106
Qin, Yimin Ion-Exchange Properties of Alginate Fibers 165
Qing, Feng-Ling Applying a Bisulfite Adduct of Polyisocyanante to Cotton Fabrics as a Durable Press Finishing Agent *(Jiang, Meng)* 39
A Novel Perfluoroalkyl-Containing Bisulfite Adduct of Polyisocyanate: Synthesis and Finishing of Cotton Fabrics *(Jiang, Meng)* 240

Radhakrishnaiah, P. Comparison of the Performance Properties of Carpets Containing Nylon 6 and Nylon 66 Face Yarns 157
Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part I: Role of the Spinning System *(He, Cook, Buschle-Diller)* 265
Hand-Related Mechanical Behavior of Enzyme-Treated Yarns Part II: Influence of Fiber Disposition *(He, Cook, Buschle-Diller)* 293
Rajasekharan, K. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Fink, Sachinvala, Sawhney, Calamari, Parikh)* 134
Rengasamy, R. S. Analysis of Spun Yarn Failure Part I: Tensile Failure of Yarns as a Function of Structure and Testing Parameters *(Ghosh, Ishtiaque)* 731
Analysis of Spun Yarn Failure Part II: The Translation of Strength from Fiber Bundle to Different Spun Yarns *(Ghosh, Ishtiaque)* 741
Renner, M. Characterization of Roughness–Friction: Example with Nonwovens *(Marsiquet, Bueno, Nicolletti)* 826
Rhie, Jeon Sook Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Oh, Han, Lee, Kim, Song)* 139
Rong, Haoming Statistical Analysis of the Effect of Processing Conditions on the Strength of Thermal Point-Bonded Cotton-Based Nonwovens *(Leon, Bhat)* 35
Rossettos, John N. A Micromechanical Model for Slit-damaged Braided Fabric Air-beams *(Godfrey)* 562
Influence of Slipping Friction on Stress Concentration in Blended Yarns *(Godfrey)* 43
Roth, J. R. Strength, Surface Energy, and Ageing of Meltblown and Electrospun Nylon and Polyurethane (PU) Fabrics Treated by a One Atmosphere Uniform Glow Discharge Plasma (OAUGDP®) *(Tsai, Chen)* 819
Rousselle, Marie-Alice Cotton Fiber Properties and Moisture: Water of Imbibition *(Thibodeaux, French)* 177
Rust, Jon P. Fatigue Cracking Resistance of Fiber-Reinforced Asphalt Concrete *(Lee, Hamouda, Kim, Borden)* 123

Sachinvala, N. D. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Fink, Rajasekharan, Sawhney, Calamari, Parikh)* 134
Saeidi, A. Ghazi Computer Vision-Aided Fabric Inspection System for On-Circular Knitting Machine *(Saeidi, Latifi, Najar)* 492
Saeidi, R. Ghazi Computer Vision-Aided Fabric Inspection System for On-Circular Knitting Machine *(Latifi, Najar, Saeidi)* 492
Sakaguchi, Yoshiyuki A New Apparatus for the Study of Fabric Drape *(Mizutani, Amano)* 81
Sakli, F. Evaluating the Fineness of *Agave Americana* L. Fibers *(Msahli, Drean)* 540
Sari-Sarraf, Hamed Objective Evaluation of Durable Press Treatments and Fabric Smoothness Ratings *(Abidi, Hequet, Turner)* 19
Sawhney, A. P. S. Antimicrobial Silver/Sodium Carboxymethyl Cotton Dressings for Burn Wounds *(Parikh, Fink, Rajasekharan, Sachinvala, Calamari, Parikh)* 134
Schutz, Howard G. Perceptions of Fiber and Fabric Uses and the Factors Contributing to Military Clothing Comfort and Satisfaction *(Cardello, Winterhalter)* 223
Sheffield, Ann Uptake of Copper (II) by Wool *(Doyle)* 203
Shen, Zhi Quan Copper(II)-Silk Fibroin Complex Fibers as Air-Purifying Materials for Removing Ammonia *(Chen, Lu, Yao, Pan)* 326
Shih, Chung-Yang Color and Pattern Analysis of Printed Fabric by an Unsupervised Clustering Method *(Kuo, Kao, Lee)* . 9
Repeat Pattern Segmentation of Printed Fabrics by Hough Transform Method *(Kuo, Lee)* 779
Shim, E. A Note on Jet Streaks in Hydroentangled Nonwovens *(Shim, Pourdeyhimi)* 569
Shimizu, Shunsuke Measuring the Streaming Potential of Polyurethane Blend Dope-Coated Fabrics *(Muraoka, Enomoto, Igarashi, Nishizawa)* 73
Skakács, G. Role of EDTA Chelating Agent in Bioscouring of Cotton *(Losonczi, Csiszár, Bezúr)* 411
Sohn, Miryeong Fourier Transform Near-Infrared Spectroscopy for Determining Linen Content in Linen/Cotton Blend Products *(Himmelsbach, Akin, Barton II)* 583
Song, Kyung-Hun Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Yoo, Oh, Han, Lee, Kim, Rhie)* 139
Stylios, G. K. Investigating the Plasma Modification of Natural Fiber Fabrics–The Effect on Fabric Surface and Mechanical Properties *(Sun)* 639
Su, Ching-Iuan Absorption Characteristics of Phenolic-Based Carbon Fiber Absorbents *(Li, Wang)* 154
Optimum Drafting Conditions of Polypropylene Spun Yarns *(Lai)* 6
Su, Kuan-Hua Recycling Polyester and Polypropylene Nonwoven Selvages to Produce Functional Sound Absorption Composites *(Lou, Lin)* 390
Sul, I. H. Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part I: Wrinkle, Smoothness and Seam Pucker *(Kang, Kim, Youn, Chung)* 751

Sun, D. Investigating the Plasma Modification of Natural Fiber Fabrics–The Effect on Fabric Surface and Mechanical Properties *(Stylios)* 639

Tao, X. M. Evaluation of Grid-domed Textile Composite as Shock-absorbing Liner of Bicycle Helmets *(Wong, Yu)* . 381
Tao, Xiaoming Electro-Mechanical Properties of Knitted Fabric Made From Conductive Multi-Filament Yarn Under Unidirectional Extension *(Zhang, Wang, Yu)* 598
Thibodeaux, Devron P. Cotton Fiber Properties and Moisture: Water of Imbibition *(Rousselle, French)* 177
Tokuyama, Takako Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Lee, Wakida, Doi, Lim, Jeon)* .. 13
Toll, Staffan Liquid Permeability of an Anisotropic Fiber Web *(Håkanson, Lundström)* 304
Tsai, P. P. Strength, Surface Energy, and Ageing of Meltblown and Electrospun Nylon and Polyurethane (PU) Fabrics Treated by a One Atmosphere Uniform Glow Discharge Plasma (OAUGDP®) *(Roth, Chen)* 819
Turner, Chris Objective Evaluation of Durable Press Treatments and Fabric Smoothness Ratings *(Abidi, Hequet, Sari-Sarraf)* 19

Uçar, Nuray Effect of Lyocell Blend Yarn and Pile Type on the Properties of Pile Loop Knit Fabrics *(Karakaş)* 352
Ugbolue, Samuel C. Nanoclay and Modified Nanoclay as Sorbents for Anionic, Cationic and Nonionic Dyes *(Yang, Han, Fan)* 622
Ulku, Sukriye Effect of Some Variables on Properties of 100% Cotton Vortex Spun Yarn *(Ortlek)* 458

Van Dun, J. Biocomponent Fibers Derived from Immiscible Polymer Blends *(Bosak, Ogale)* 50
Van Herzele, Peter Influence of Fiber Surface Purity on Wicking Properties of Needle-Punched Nonwoven after Oxygen Plasma Treatment *(Verschuren, De Clerck, Kienkens)* 437
Van Langenhove, L. Simulation of the Dynamic Yarn Behavior on Airjet Looms *(De Meulemeester, Githaiga, Hung)* .. 724
Vassiliadis, Savvas G. Optimization Aspects on the Hand of the Fabrics *(Venetsanos, Provatidis)* 653
Venetsanos, Demetrios T. Optimization Aspects on the Hand of the Fabrics *(Vassiliadis, Provatidis)* 653
Verschuren, Jo Influence of Fiber Surface Purity on Wicking Properties of Needle-Punched Nonwoven after Oxygen Plasma Treatment *(Van Herzele, De Clerck, Kienkens)* . 437

Wakida, Tomiji Liquid Ammonia Treatment of Regenerated Cellulosic Fabrics *(Lee, Tokuyama, Doi, Lim, Jeon)* ... 13
Wan, Yu-Qin Controlling the Air Vortex Twist in Air-Jet Spinning *(Zeng, Yu, He)* 175
Wang, Ching-Luh Absorption Characteristics of Phenolic-Based Carbon Fiber Absorbents *(Su, Li)* 154
Wang, Fumei Predicting the Shearing Rigidity of Woven Fabrics *(Xu, Xu)* 30
Wang, Jian-Min The Application of the Volumetric Subdivision Scheme in the Simulation of Elastic Human Body Deformation and Garment Pressure *(Luo, Li, Dai, You)* 591
Wang, Lijing Predicting the Pilling Propensity of Fabrics through Artificial Neural Network Modeling *(Beltran, Wang)* 557
Wang, Shan-Yuan Electro-Mechanical Properties of Knitted Fabric Made From Conductive Multi-Filament Yarn Under Unidirectional Extension *(Zhang, Tao, Yu)* 598
A Linear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Li, Pan)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Yu, Li, Pan)* 181
Wang, Xinhou Effects of Processing Parameters on the Fiber Diameter of Melt Blown Nonwoven Fabrics *(Chen, Huang)* 76
Wang, Xungai Predicting the Pilling Propensity of Fabrics through Artificial Neural Network Modeling *(Beltran, Wang)* 557
Wang, Yunyi Cold Sensitivity Differences Between Body Sections Under Clothing *(Li, Zhang, Barker)* 208
Warner, Steven B. Adhesive Point-Bonded Spunbond Fabrics *(Limem)* 63
Westbroek, Philippe Optimizing Process Parameters in Polyacrylonitrile Production for Metallization with Nickel *(Akbarov, Baymuratov, Akbarov, De Clerck, Kiekens)* 197
Wilding, M. A. Recovery from Strain and Shrinkage Measurements of Poly(*m*-methylene Terephthalate) and Poly(ethylene 2,6-Naphthalate) Fibers *(Hockenberger, Koral)* .. 111
Winterhalter, Carole Perceptions of Fiber and Fabric Uses and the Factors Contributing to Military Clothing Comfort and Satisfaction *(Schutz, Cardello)* 223
Wong, Anthony S. W. Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties *(Hu, Li, Yeung, Xu)* 57
Wong, Y. W. Evaluation of Grid-domed Textile Composite as Shock-absorbing Liner of Bicycle Helmets *(Yu, Tao)* .. 381
Wu, J. Grab and Strip Tensile Strengths for Woven Fabrics: An Experimental Verification *(Pan)* 789

Xu, Bugao Image Analysis for Quantifying Marquisette Damage in Home Laundering *(Kim, Kang, Hong)* 474
Predicting the Shearing Rigidity of Woven Fabrics *(Wang, Xu)* 30
Xu, Guangbiao Predicting the Shearing Rigidity of Woven Fabrics *(Wang, Xu)* 30
Xu, Weilin Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties *(Hu, Li, Yeung, Wong)* 57

Yang, Hongbo Distribution of Single Fiber Tensile Properties of Four Cotton Genotypes *(Liu, Hsieh)* 117
Yang, Yiqi Nanoclay and Modified Nanoclay as Sorbents for Anionic, Cationic and Nonionic Dyes *(Han, Fan, Ugbolue)* 622
Yao, Guifen Predicting the Warp Breakage Rate in Weaving by Neural Network Techniques *(Guo, Zhou)* 274
Yao, J. Combined Bleaching, Shrinkage Prevention, and Biopolishing of Wool Fabrics *(Cardamone, Phillips)* 169
Yao, Yu Yuan Copper(II)-Silk Fibroin Complex Fibers as Air-Purifying Materials for Removing Ammonia *(Chen, Lu, Pan, Shen)* 326
Yeung, Kwok-wing Moisture Management Tester: A Method to Characterize Fabric Liquid Moisture Management Properties *(Hu, Li, Wong, Xu)* 57
Yildiz, H. Investigating Changes in Mechanical Properties and Tissue Reaction of Silk, Polyester, Polyamide, and Polypropylene Sutures *in Vivo (Karaca, Hockenberger)* . 297
Yoo, Hye Ja Evaluating the Physical and Fabric Hand Characteristics of Lyocell Fabrics Made with Different Wood Pulps *(Ahn, Oh, Han, Lee, Kim, Song, Rhie)* 139
Yoo, Shinjung Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part I: Thermophysical and Sensorial Properties of Fabrics *(Barker)* 523
Comfort Properties of Heat-Resistant Protective Workwear in Varying Conditions of Physical Activity and Environment Part II: Perceived Comfort Response to Garments and its Relationship to Fabric Properties *(Barker)* 531

Sensorial Property Evaluation of Scoured Silk Fabrics Using Quad Analysis *(Kim, Kim)* 418
You, Fang The Application of the Volumetric Subdivision Scheme in the Simulation of Elastic Human Body Deformation and Garment Pressure *(Wang, Luo, Li, Dai)* 591
Youn, J. R. Fabric Surface Roughness Evaluation Using Wavelet-Fractal Method Part I: Wrinkle, Smoothness and Seam Pucker *(Kang, Kim, Sul, Chung)* 751
Yu, C. W. Controlling the Air Vortex Twist in Air-Jet Spinning *(Zeng, Wan, He)* 175
Yu, Jian-Yong A Linear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Li, Wang, Pan)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Li, Wang, Pan)* 181
Yu, Tongxi Electro-Mechanical Properties of Knitted Fabric Made From Conductive Multi-Filament Yarn Under Unidirectional Extension *(Zhang, Tao, Wang)* 598
Evaluation of Grid-domed Textile Composite as Shock-absorbing Liner of Bicycle Helmets *(Wong, Tao)* 381
Yu, Yan-Ping A Linear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Li, Wang, Pan)* 87
A Nonlinear Dynamic Model for Two-Strand Yarn Spinning *(He, Yu, Li, Wang, Pan)* 181
Yuen, C. W. M. Factors Affecting the Color Yield of an Ink-Jet Printed Cotton Fabric *(Ku, Choi, Kan)* 319

Zeng, Y. C. Controlling the Air Vortex Twist in Air-Jet Spinning *(Wan, Yu, He)* 175
Zhang, Hui Electro-Mechanical Properties of Knitted Fabric Made From Conductive Multi-Filament Yarn Under Unidirectional Extension *(Tao, Wang, Yu)* 598
Zhang, Weiyuan Cold Sensitivity Differences Between Body Sections Under Clothing *(Li, Wang, Barker)* 208
Zhou, J Air Flow in a Pneumatic Splicer by CFD *(Qin)* 106
Zhou, Rongxing An Improved MWK Structure for Composite Reinforcement *(Zhou, Hu, Chen, Feng)* 342
Zhou, Yongyuan Predicting the Warp Breakage Rate in Weaving by Neural Network Techniques *(Yao, Guo)* 274
Žunič-Lojen, Darja Thread Loadings in Different Measuring Positions on the Sewing Maching *(Geršak)* 498

SUBJECT INDEX

Abrasion
absorbed water and: handle of nonwovens for disposable diapers *Hong, Kim, Kang* 544
wool fabrics after: reflectance and color differences *Alpay, Becerir, Akgun* 607
Absorbents
phenolic-based carbon fiber: characteristics *Su, Li, Wang* . 154
Adhesive Technology
point-bonded spunbound fabrics: tensile properties *Limem, Warner* 63
Agave Americana L.
fibers: evaluating fineness of *Msahli, Drean, Sakli* 540
Airjet Loom
simulation of dynamic behavior: yarn *De Muelemeester, Githaiga, Van Langenhove, Hung* 724
Air-Jet Spinning
air vortex twist in: control *Zeng, Wan, Yu* 175
Air-Purifying Materials
copper(II)-silk fibroin complex fibers as: removing ammonia *Chen, Lu, Yao, Pan, Shen* 326
Air Vortex Twist
in air-jet spinning: control *Zeng, Wan, Yu* 175
Alginate Fibers
ion-exchange properties *Qin* 165
Ammonia
air-purifying materials for removal: copper(II)-silk fibroin complex fibers for *Chen, Lu, Yao, Pan, Shen* 326
liquid treatments: regenerated cellulosic fabrics *Lee, Wakida, Tokuyama, Doi, Lim, Jeon* 13
Asphalt Concrete
fiber-reinforced: fatigue cracking resistance *Lee, Rust, Hamouda* 123

Bacteriostasis
skin innoxiousness and: nanosize silver colloids on textile fabrics *Lee, Jeong* 551
Battle Dress Uniforms
military clothing: perceptions of fiber and fabric uses on comfort and satisfaction *Schutz, Cardello, Winterhalter* . 223
Bending
nonlinear material fibers: generalized elliptical cross-section *Lee* 710
Bicomponent Fibers
immiscible polymer blends: derivative *Bosak, Ogale, Van Dun* 50
Bicycle Helmets
shock-absorbing liner: grid-domed textile composites *Wong, Y, Tao* 381
Binder Fiber
bonding temperature and: effects on breaking loads of webs *Rong, Leon, Bhat* 35
Biopolishing
prevention of pilling: polyester and polyester/cotton fabric *McCloskey, Jump* 480
wool fabrics: combined bleaching and shrinkage prevention *Cardamone, Yao, Phillips* 169
Bleaching
wool fabrics: combined shrinkage prevention and biopolishing *Cardamone, Yao, Phillips* 169
Blends
immiscible polymer: bicomponent fibers derived from *Bosak, Ogale, Van Dun* 50
multicomponent fiber blending: integrated approach *Mogahzy, Farag, Abdelhady, Mohamed* 833
Body sections
cold sensitivity differences: under clothing *Li, Wang, Zhang* 208

Buckling
nonlinear phenomenon: fibers with nonlinear elastic properties *Jung, Kang* 715
Bulletproof Vests
compound cushion layer: reinforcement of ballistic resistance *Lin* 431

Carbon Fibers
absorbents: phenolic-based *Su, Li, Wang* 154
Carbon Nanotubes
functional textiles based on: next generation fabrics *Laxminarayana, Jalili* 670
Cardiovascular Prostheses
woven and knitted: mechanical behavior *Abdessalem, Mokhtar, Belaissia, Filali, Durand* 784
Carpet
nylon 66: inserted with low-melt polyamide yarns, wear performance *Balasubramanian, Miller* 213
nylon 6 and 66 face yarns: comparison of performance properties *Radhakrishnaiah* 157
tufted carpets and components: stress relaxation *Phillips, Ghosh* 485
Carrier Dyeing
polyester fabric: different energy level dispersion *Iskender, Becerir, Koruyucu* 462
Cellulose/*N*-Methylmorpholine *N*-Oxide Hydrate
dry jet-wet spinning of: Lyocell fibers *Kim, Pak, Jo, Lee* . 331
Cellulosics
man-made: pilling mechanism, effects of fibrillation *Okubayashi, Bechtold* 288
regenerated: liquid ammonia treatment of *Lee, Wakida, Tokuyama, Doi, Lim, Jeon* 13
Chelating Agent
EDTA: role in bioscouring of cotton *Losonczi, Csiszár, Szakács, Bezúr* 411
Chenille
yarn parameters: effects on shrinkage behavior *Özdemir, Çeven* 219
Cloth Formation
weaving: characteristics and influence on fabric parameters *Chen* 281
Clothing
cold sensitivity differences: body sections *Li, Wang, Zhang,* 208
military: perceptions of fiber and fabric uses and *Schutz, Cardello, Winterhalter* 223
sorption and phase change through: heat and moisture transfer *Fan, Cheng* 99, 187
Clustering Method
unsupervised: color and pattern analysis of printed fabric *Kuo, Shih, Kao, Lee* 9
Cold Sensitivity
differences between body sections: under clothing *Li, Wang, Zhang* 208
Color Analysis
assessing reflectance and differences: cotton fabrics after abrasion *Alpay, Becerir, Akgun* 357
ink-jet printed cotton fabric: factors affecting *Yuen, Ku, Choi, Kan* 319
printed fabric: unsupervised clustering method *Kuo, Shih, Kao, Lee* 9
reflectance and color differences: wool fabrics after abrasion *Alpay, Becerir, Akgun* 607
Composites
grid-domed textile: shock-absorbing liner of bicycle helmets *Wong, Yu, Tao* 381
sound-absorption: recycling polyester and polypropylene nonwoven selvages *Lou, Lin, Su* 390

Computational Fluid Dynamics
air flow: in a pneumatic splicer *Zhou, Qin* 106
Computer Vision-Aided Inspection System
fabrics: on circular knitting machine *Saeidi, Latifi, Najar, Saeidi* 492
Copper(II)
uptake by wool *Sheffield, Doyle* 203
Copper(II)-Silk Fibroin Complex Fibers
as air-purifying materials: removing ammonia *Chen, Lu, Yao, Pan, Shen* 326
Core Spun Yarn
complex: metal wire in *Lou* 466
Cotton, Raw
insect honeydew deposits: high speed stickiness detector *Abidi, Hequet* 362
non-fibrous material content of: during processing *Brushwood* 616
sticky: effects on yarn quality *Hequet, Abidi, Ethridge* 402
yarn processing performance: from noncellulosic content *Brushwood* 1
Cotton Dressings
antimicrobial silver/sodium carboxymethyl: dressing for burn wounds *Fink, Rajasekharan, Sachinvala, Sawhney, Calamari, Parikh* 134
Cotton/Elastane Woven Fibers
sewing needle penetration and damage: during sewing *Gurarda, Meric* 628
Cotton Fabrics
assessing reflectance and color differences: after abrasion *Alpay, Becerir, Akgun* 357
bisulfite adduct of polyisocyanate applied to: durable press finishing agent *Jiang, Meng, Qing* 39
ink-jet printed: factors affecting color yield *Yuen, Ku, Choi, Kan* 319
investigating plasma modification of: fabric surface and mechanical properties *Sun, Stylios* 639
polyester and: bio-polishing of *McCloskey, Jump* 480
synthesis and finishing: perfluoroalkyl-containing bisulfite adduct of polyisocyanate *Jiang, Meng* 240
thermal point-bonded nonwovens: effect of processing conditions on *Rong, Leon, Bhat* 35
vortex spun yarn: effects of variables on properties *Ortlek, Ulku* 458
Cotton Fibers
biscouring of: role of EDTA chelating agent *Losonczi, Csiszár, Szakács, Bezúr* 411
properties and moisture: water of imbibition *Rousselle, Thibodeaux, French* 177
single tensile properties: distribution of four genotypes *Liu, Yang, Hsieh* 117
spinning performances: origin of honeydew contamination *Hequet, Abidi* 699
Crystallization
PEN/PTT blends: isothermal kinetics *Cheng, Hsueh* 144
Cushion Materials
novel compound layer: reinforcement of ballistic resistance *Lin* 431

Deformation Behavior
Galerkin finite element method: fabric *Demiroz* 662
Diaper, Disposable
nonwovens for: abrasion and absorbed water effects *Hong, Kim, Kang* 544
Drafting
optimum conditions: polypropylene spun yarns *Su, Lai* .. 6
Drape
fabric: apparatus for study of *Mizutani, Amano, Sakaguchi* . 81
Drawing
ring spinning frame and drawing frame: polyester core-spun yarn with spandex *Lou, Chang, Lin, Lei, Hsing* .. 395
Draw-Off Angle
yarn: effect on properties in friction spinning *Merati, Okamura* 812
Drying
Lyocell Fabrics: resin treatment of *Manian, Bechtold* 258
Durable Press
bisulfite adduct of polyisocyanate: as finishing agent for cotton fabric *Abidi, Hequet, Turner, Sari-Sarraf* 39
fabric smoothness ratings and: object evaluation *Abidi, Hequet, Turner, Sari-Sarraf* 19
Dyeing
Beck conditions: low-melt polyamide yarns inserted with *Balasubramanian, Miller* 213
carrier: different energy level, polyester fabric *Iskender, Becerir, Koruyucu* 462
indigo: polyester fabrics *Mishima* 149
Dyes
anionic, cationic and nonionic: nanoclay as sorbents for *Yang, Han, Fan, Ugboulue* 622
uptake of copper(II): wool *Sheffield, Doyle* 203

Elastane Fiber
damage: during sewing of cotton/elastane woven fabrics *Gurarda, Meric* 628
Elastic Human Body Deformation
garment pressure and: volumetric subdivision scheme in simulation of *Wang, Luo, Li, Dai, You* 591
Elastic Properties
nonlinear: large deflection analysis of fibers *Jung, Kang* .. 715
End Breaks
weavable singles yarns: in spinning and weaving of *Lappage* 507, 512
Energy-Absorption Liners
bicycle helmets: grid-domed textile composite as *Wong, Y, Tao* 381
Enzymes
yarns treated with: hand-related mechanical behavior *Radhakrishnaiah, He, Cook, Buschle-Diller* 265, 293
Ethylenediamine-tetra-acetic acid (EDTA)
chelating agent: role in bioscouring of cotton *Losonczi, Csiszár, Szakács, Bezúr* 411

Fabric
cloth formation in weaving: characteristics and influence on *Chen* 281
computer vision-aided inspection system: on-circular knitting machine *Saeidi, Latifi, Najar, Saeidi* 492
damage in home laundering: quantifying Marquisette damage *Kim, Kang, Hong* 474
large deformation behavior: Galerkin finite element method *Demiroz* 662
man-made cellulosics: effects of fibrillation *Okubayashi, Bechtold* 288
military clothing: perceptions of fiber and fabric uses on comfort and satisfaction *Schutz, Cardello, Winterhalter,* 223
nanosize silver colloids on: bacteriostasis and skin innoxiousness of *Lee, Jeong* 551
next generation: functional nanotube-based *Laxminarayana, Jalili* 670
optimization aspects: hand *Vassiliadis, Venetsanos, Provatidis* 653
pilling propensity: prediction through neural networks *Beltran, Wang, Wang* 557
polyurethane blend dope-coated: streaming potential *Muraoka, Enomoto, Igarashi, Shimizu, Nishizawa* 73
printed: repeat pattern segmentation, Hough Transform Method *Kuo, Shih, Lee* 779
spunbound: adhesive point-bonded *Limem, Warner* 63

surface roughness: wavelet-fractal method: fabric pilling evaluation *Kim, Kang* 761
surface roughness: wavelet-fractal method: wrinkle, smoothness and seam pucker *Kang, Kim, Sul, Youn, Chung* .. 751
thermophysical and sensorial properties: protective workwear *Yoo, Barker* 523, 531
Fabric Air-Beams
slit-damaged braided: micromechanical model *Rossettos, Godfrey* 562
Fabric Drape
study: new apparatus for *Mizutani, Amano, Sakaguchi* 81
Fabric Liquid Moisture
moisture management tester: characterization *Hu, Li, Yeung, Wong, Xu* 57
Fabric Noise
rustling sounds of polyester warp knitted fabric: evaluation *Cho, Cho, Kim, Ha* 312
Fabric Smoothness
durable press treatments and: ratings *Abidi, Hequet, Turner, Sari-Sarraf* 19
Fiber Blending
multi-component: analysis, integrated approach *Mogahzy, Farag, Abdelhady, Mohamed* 833
Fiber Diameter
melt blown nonwoven fabrics: processing parameters *Chen, Wang, Huang* 76
Fiber Disposition
hand-related mechanical behavior: enzyme-treated yarns *Radhakrishnaiah, He, Cook, Buschle-Diller* 293
Fiber Patterns
recognition of PET/rayon composite yarn: voting techniques *Chiu, Liaw* 442
Fibers
Agave Americana L.: evaluating fineness of Msahli, Drean, Sakli 540
anisotropic web: liquid permeability *Håkanson, Toll, Lundström* 304
asphalt mix design and: fatigue cracking resistance of *Lee, Rust, Hamouda* 123
distribution in a yarn cross-section: rotor spun yarns *Jiang, Hu, Cheng, Postle* 233
generalized elliptical cross-section: torsional analysis *Lee* . 377
generalized elliptical cross-section: bending analysis *Lee* . 710
large deflection analysis: with nonlinear elastic properties *Jung, Kang* 715
military clothing: perceptions of fiber and fabric uses on comfort and satisfaction *Schutz, Cardello, Winterhalter,* 223
three cultivars of New Zealand flax: (Phormium tenax) *Carr, Cruthers, Laing, Niven* 93
Fibrillation
man-made cellulosics: effects of fibrillation *Okubayashi, Bechtold* 288
Fineness
Agave Americana L. fibers: evaluation of Msahli, Drean, Sakli 540
Finishing
cotton fabrics: polyisocyanate adduct *Jiang, Meng* 240
durable press agent for: bisulfite adduct of polyisocyanate *Abidi, Hequet, Turner, Sari-Sarraf* 39
Finite Element Method
Galerkin: prediction of large deformation behavior of fabric *Demiroz* 662
Fleece Fabrics
three-thread: properties of *Ozcan, Candan* 129
Fourier Transform Near Infrared Spectroscopy
linen content: in linen/cotton blend products *Sohn, Himmelsbach, Akin, Barton II* 583
trehalulose and sticky cotton yarn defects: ZnSe–diamond universal attenuated total reflectance *Abidi, Hequet* ... 645
Friction
slipping: effects on stress concentration in blended yarns *Rossettos, Godfrey* 43
Garment Pressure
elastic human body deformation and: volumetric subdivision scheme in simulation of *Wang, Luo, Li, Dai, You* . 591
Geogrids
high-performance: PP/PET composite covered yarn *Lin, Lin* 453
Grab Test
tensile strength: woven fabrics *Wu, Pan* 789
Hand Values
mechanical properties and: weave structures *Morino, Matsudaira, Furutani* 252
optimization aspects: fabric Vassiliadis, Venetsanos, Provatidis 653
Heat Transfer
moisture and: through clothing assemblies *Fan, Cheng* .99, 187
Hydroentanglement
nonwovens: jet streaks in *Shim, Pourdeyhimi* 569
Image analysis
damage in home laundering: quantifying Marquisette damage *Kim, Kang, Hong* 474
standard pilling photographs: wavelet reconstruction *Kim, Kang* 801
Indigo
dyeing: polyester fabrics *Mishima* 149
Insect honeydew deposits
high-speed stickiness detector: HPLC of, cotton *Abidi, Hequet* 362
origin of contamination: cotton spinning performances *Hequet, Abidi* 699
Ion exchange properties
alginate fibers *Qin* 165
Knits
cardiovascular prostheses: mechanical behavior *Abdessalem, Mokhtar, Belaissia, Filali, Durand* 784
electro-mechanical properties of: conductive multi-filament yarn *Zhang, Tao, Wang, Yu* 598
on-circular knitting machine: computer vision-aided fabric inspection system *Saeidi, Latifi, Najar, Saeidi* 492
polyester fabrics: moisture vapor transport *Prahsarn, Barker, Gupta* 346
polyester warp fabrics: evaluation of rustling sounds *Cho, Cho, Kim, Ha* 312
Linen
linen/cotton blend products: Fourier transform near-infrared spectroscopy *Sohn, Himmelsbach, Akin, Barton II* 583
Lyocell Fabrics
blend yarn and pile type: properties of pile loop and, in knits *Uçar, Karakaş* 352
from different wood pulps: physical and hand characteristics *Ahn, Yoo, Oh, Han, Lee, Kim, Song, Rhie* 139
resin treatment in: drying rates *Manian, Bechtold* 258
Lyocell Fibers
solutions and physical properties: dry jet-wet spinning of cellulose/*N*-methylmorpholine *N*-oxide hydrate *Kim, Pak, Jo, Lee* 331

Mechanical behavior
hand-related: enzyme-treated yarns *Radhakrishnaiah, He, Cook, Buschle-Diller* 265, 293
Melt blowing technology
nonwoven fabrics: effects of processing parameters *Chen, Wang, Huang* 76
Melt Spinning
shear flow properties and: thermoplastic polyvinyl alcohol melts *Ku, Lin* 681
Metallization
polyacrylonitrile production with nickel: process parameters for *Akbarov, Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens* 197
Modeling
knitted fabric: conductive multi-filament yarn *Zhang, Tao, Wang, Yu* 598
micromechanical: slit-damaged braided fabric air-beams *Rossettos, Godfrey* 562
nonlinear dynamic: two-strand yarn *He, Yu, Yu, Li, Wang* . 181
spun yarn failure: strength from fiber bundle *Ghosh, Ishtiaque, Rengasamy* 741
spun yarn failure: structure and testing parameters *Ghosh, Ishtiaque, Rengasamy* 731
Moisture Transport
cotton fiber properties: water of imbibition *Rousselle, Thibodeaux, French* 177
fabric liquid moisture management: characterization *Hu, Li, Yeung, Wong, Xu* 57
heat and: through clothing assemblies *Fan, Cheng* 99, 187
polyester knit fabrics: dissipation properties *Prahsarn, Barker, Gupta* 346
Muka
three cultivars of New Zealand flax: (Phormium tenax) *Carr, Cruthers, Laing, Niven* 93
MWK Structure
composite reinforcement *Zhou, Hu, Chen, Feng* 342

Nanoclay
as sorbents: anionic, cationic and nonionic dyes *Yang, Han, Fan, Ugboulue* 622
Natural Fiber Fabrics
investigating plasma modification of: fabric surface and mechanical properties *Sun, Stylios* 639
Neural Networks
prediction of pilling propensity: fabrics *Beltran, Wang, Wang* 557
weaving by: predicting the warp breakage rate *Yao, Guo, Zhou* 274
Nickel
metallization with: parameters in polyacrylonitrile production *Akbarov, Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens* 197
Noncellulosic Content
raw cotton: predicting yarn processing performance *Brushwood* 1
Nonwovens
for disposable diapers: abrasion and absorbed water effects *Hong, Kim, Kang* 544
hydroentangled: note on jet streaks in *Shim, Pourdeyhimi* . 569
melt blown: effects of processing on fiber diameter *Chen, Wang, Huang* 76
needle-punched: after oxygen plasma treatment *Verschuren, Van Herzele, De Clerck, Kiekens* 437
novel compound cushion layer: reinforcement of ballistic resistance *Lin* 431
polyester and polypropylene: functional sound absorption composites *Lou, Lin, Su* 390
polypropylene fabrics: helium atmospheric pressure plasma treatment effects *Hwang, McCord, An, Kang, Park* ... 771
roughness–friction: characterization *Fontaine, Marsiquet, Renner, Bueno, Nicolletti* 826
thermal point-bonded cotton-based: effect of processing conditions on *Rong, Leon, Bhat* 35
Nylon
6 and 66 face yarns: performance properties of carpets *Radhakrishnaiah* 157
strength, surface energy, and ageing: treated by OAUGDP *Tsai, Roth, Chen* 819

One Atmosphere Uniform Glow Discharge Plasma (OAUGDP)
nylon and polyurethane fabrics: strength, surface energy, and ageing of *Tsai, Roth, Chen* 819
Oxygen Plasma Treatment
wicking properties and: needle-punched nonwovens *Verschuren, Van Herzele, De Clerck, Kiekens* 437

Packing Density
cross-sectional rotor spun yarns *Jiang, Hu, Cheng, Postle* . 233
Pattern Analysis
printed fabric: unsupervised clustering method *Kuo, Shih, Kao, Lee* 9
Penetration Forces
sewing needle: elastane fiber damage and, cotton/elastane woven fabrics *Gurarda, Meric* 628
Perfluoroalkyl-Containing Bisulfite Adduct
polyisocyanate: synthesis and finishing of cotton fabrics *Jiang, Meng* 240
Permeability
liquid: anisotropic fiber web *Håkanson, Toll, Lundström* .. 304
Phenolic-based Fabrics
carbon fiber absorbents: absorption characteristics *Su, Li, Wang* 154
Phormium tenax
fibers from three cultivars: New Zealand flax *Carr, Cruthers, Laing, Niven* 93
Pile
chenille yarn properties: effects on yarn shrinkage behavior *Özdemir, Çeven* 219
loop knit fabrics: Lyocell blend yarn and pile type effects *Uçar, Karakaş* 352
Pilling
analysis of standard photographs: wavelet reconstruction *Kim, Kang* 801
bio-polishing for prevention: polyester and polyester/cotton fabric *McCloskey, Jump* 480
fabric surface roughness evaluation: wavelet-fractal method *Kim, Kang* 761
man-made cellulosics: effects of fibrillation *Okubayashi, Bechtold* 288
propensity of fabrics: prediction through artificial neural networks *Beltran, Wang, Wang* 557
Plasma Treatment
helium atmospheric pressure: polypropylene nonwoven fabrics *Hwang, McCord* 771
natural fiber fabrics: surface and mechanical properties *Sun, Stylios* 639
Pneumatic Splicer
air flow in: by computational fluid dynamics *Zhou, Qin* .. 106
Point Bonding
adhesive: spunbound fabrics *Limem, Warner* 63
Polyacrylonitrile
process parameters for production: metallization with nickel *Akbarov, Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens* 197

Polyamide
low-melt yarns: nylon 66 carpets inserted with, Beck dyeing conditions *Balasubramanian, Miller* 213
mechanical properties and tissue reaction: investigating changes in sutures *in vivo Karaca, Hockenberger, Yildiz* 297
Polyester
cardiovascular prostheses: mechanical behavior *Abdessalem, Mokhtar, Belaissia, Filali, Durand* 784
carrier dyeing: different energy level disperse dyes and *Iskender, Becerir, Koruyucu* 462
core-spun yarn with spandex: multi-section drawing frame and ring spinning frame *Lou, Chang, Lin, Lei, Hsing* . 395
cotton fabric and: bio-polishing *McCloskey, Jump* 480
dyeing: with indigo *Mishima* 149
knit fabrics: moisture vapor transport behavior *Prahsarn, Barker, Gupta* 346
mechanical properties and tissue reaction: investigating changes in sutures *in vivo Karaca, Hockenberger, Yildiz,* 297
recycling nonwoven selvages: functional sound absorption composites *Lou, Lin, Su* 390
warp knitted fabric: evaluation of rustling sounds *Cho, Cho, Kim, Ha* 312
Poly(ethylene 2,6-Naphthalate)
poly(*m*-methylene terephthalate) and: strain and shrinkage measurements *Hockenberger, Koral, Wilding* 111
poly(trimethylene terephthalate) blends: crystallization *Cheng, Hsueh* 144
Polyisocyanate
bisulfite adduct of: as durable press finishing agent *Abidi, Hequet, Turner, Sari-Sarraf* 39
perfluoroalkyl-containing bisulfite adduct of: synthesis and finishing of cotton fabrics *Jiang, Meng* 240
Polymer Blends
immiscible: bicomponent fibers derived from *Bosak, Ogale, Van Dun* 50
Poly(*m*-methylene Terephthalate)
poly(ethylene 2,6-naphthalate) fibers: strain and shrinkage measurements *Hockenberger, Koral, Wilding* 111
Polypropylene
mechanical properties and tissue reaction: investigating changes in sutures *in vivo Karaca, Hockenberger, Yildiz,* 297
nonwoven fabrics: helium atmospheric pressure plasma treatment effects *Hwang, McCord, An, Kang, Park* 771
recycling nonwoven selvages: functional sound absorption composites *Lou, Lin, Su* 390
spun yarn: optimum drafting conditions *Su, Lai* 6
Poly(trimethylene terephthalate)
poly(ethylene 2,6-naphthalate) blends: crystallization *Cheng, Hsueh* 144
Polyurethane
dope-coated fabrics: streaming potential of *Muraoka, Enomoto, Igarashi, Shimizu, Nishizawa* 73
strength, surface energy, and ageing: treated by OAUGDP *Tsai, Roth, Chen* 819
treated by ultrasonic energy: transport and mechanical properties *Park, Jeong, An, Lee* 425
Polyvinyl Alcohol
thermoplastic: shear flow properties and melt spinning *Ku, Lin* 681
Printing
ink-jet: color yield in cotton fabrics *Yuen, Ku, Choi, Kan* . 319
repeat pattern segmentation: fabrics, Hough Transform Method *Kuo, Shih, Lee* 779
Processing
melt blown nonwoven fabrics: fiber diameter *Chen, Wang, Huang* 76
optimizing parameters: polyacrylonitrile production for metallization with nickel *Akbarov, Baymuratov, Akbarov, Westbroek, De Clerck, Kiekens* 197
yarn performance: cotton from noncellulosic content *Brushwood* 1

Recycling
polyester and polypropylene nonwoven selvages: functional sound absorption composites *Lou, Lin, Su* 390
Reflectance
color differences and: cotton fabrics after abrasion *Alpay, Becerir, Akgun* 357
Repeat Pattern Segmentation
printed fabrics: Hough Transform Method *Kuo, Shih, Lee* . 779
Resins
treatment of Lyocell Fabrics: drying rates in *Manian, Bechtold* 258
Rotor Twister
PP/PET composite covered yarn: high-performance geogrids *Lin, Lin* 453
Roughness
fabric surface: fabric pilling evaluation *Kim, Kang* 761
fabric surface: wavelet-fractal method: wrinkle, smoothness and seam pucker *Kang, Kim, Sul, Youn, Chung* 751
roughness–friction: characterization, example with nonwovens *Fontaine, Marsiquet, Renner, Bueno, Nicolletti* ... 826

Scouring
silk fabrics: using quad analysis *Kim, Yoo, Kim* 418
Seaming
minimizing pucker: using Taguchi method *Park, Ha* 245
Sewing
optimizing conditions: minimize seam pucker using Taguchi method *Park, Ha* 245
Sewing machine
thread loading: different measuring positions *Žunič-Lojen, Geršak* 498
Shear
rigidity of woven fabrics: prediction *Wang, Xu, Xu* 30
Shear Flow Properties
melt spinning and: thermoplastic polyvinyl alcohol melts *Ku, Lin* 681
Shrinkage
regenerated cellulosic fabrics: liquid ammonia effects *Lee, Wakida, Tokuyama, Doi, Lim, Jeon* 13
strain and: recovery of poly(*m*-methylene terephthalate) and poly(ethylene 2,6-naphthalate) fibers *Zhou, Qin* 106
three-thread fleece fabrics: properties of *Ozcan, Candan* . 129
wool fabrics: combined bleaching and biopolishing *Cardamone, Yao, Phillips* 169
yarn behavior: effects of chenille yarn parameters *Özdemir, Çeven* 219
Silk
mechanical properties and tissue reaction: investigating changes in sutures *in vivo Karaca, Hockenberger, Yildiz,* 297
scoured fabrics: using quad analysis *Kim, Yoo, Kim* 418
Silver Colloids
nanosize solution: bacteriostasis and skin innoxiousness of *Lee, Jeong* 551
Silver/Sodium Carboxymethyl
cotton burn dressings: antimicrobial *Fink, Rajasekharan, Sachinvala, Sawhney, Calamari, Parikh* 134
Sirospun Yarn
two-strand: linear dynamic model *He, Yu, Yi, Li, Wang* .. 87
Sorbets
nanoclay and modified nanoclay as: anionic, cationic and nonionic dyes *Yang, Han, Fan, Ugboulue* 622
Sorption
phase change and: through clothing, heat and moisture transfer *Fan, Cheng* 99, 187

Spinning
cotton: origin of honeydew contamination *Hequet, Abidi* .. 699
dry jet-wet of cellulose/ *N*-methylmorpholine *N*-oxide hydrate: Lyocell fibers *Kim, Pak, Jo, Lee* 331
friction: effect of yarn draw-off angle *Merati, Okamura* .. 812
hand-related mechanical behavior: enzyme-treated yarns *Radhakrishnaiah, He, Cook, Buschle-Diller* 265
ring spinning frame and drawing frame: polyester core-spun yarn with spandex *Lou, Chang, Lin, Lei, Hsing* .. 395
two-strand yarn: nonlinear dynamic model *He, Yu, Yu, Li, Wang* 181
weavable singles yarns: end breaks *Lappage* 507, 512
Spunbound Fabrics
point-bonded: adhesive *Limem, Warner* 63
Spun Yarn Failure
analysis: strength from fiber bundle *Ghosh, Ishtiaque, Rengasamy* 741
analysis: structure and testing parameters *Ghosh, Ishtiaque, Rengasamy* 731
Stickiness
cotton: insect honeydew deposits, HPLC *Abidi, Hequet* ... 362
processing cotton: effects on yarn quality *Hequet, Abidi, Ethridge* 402
Strain
shrinkage and: recovery of poly(*m*-methylene terephthalate) and poly(ethylene 2,6-naphthalate) fibers *Zhou, Qin* ... 106
Streaming Potential
measurement: polyurethane blend dope-coated fabrics *Muraoka, Enomoto, Igarashi, Shimizu, Nishizawa* 73
Stress Concentrations
blended yarns: effects of slipping friction *Rossettos, Godfrey* 43
Stress Relaxation
tufted carpets and components: analysis of structure *Phillips, Ghosh* 485
Strip Test
tensile strength: woven fabrics *Wu, Pan* 789
Structural Composites
reinforcement: improved MWK structure for *Zhou, Hu, Chen, Feng* 342
Surface State
evaluation of roughness–friction: example with nonwovens *Fontaine, Marsiquet, Renner, Bueno, Nicolletti* 826
Sutures
mechanical properties and tissue reaction: investigation of changes *Karaca, Hockenberger, Yildiz* 297

Taguchi Method
minimizing seam pucker: process for optimizing sewing conditions *Park, Ha* 245
Tensile Properties
single fiber: four cotton genotypes *Liu, Yang, Hsieh* 117
Tensile Strength
grab and strip: woven fabrics *Wu, Pan* 789
Thread Tension
measuring location: sewing machines *Žunič-Lojen, Geršak* . 498
Torsional Analysis
generalized elliptical cross-section: fibers *Lee* 377
Trehalulose
formation of yarn defects: Fourier transform infrared analysis *Abidi, Hequet* 645

Ultrasonic Energy
polyurethane film treated by: transport and mechanical properties *Park, Jeong, An, Lee* 425

Volumetric Subdivision Scheme
simulation of elastic human body deformation: garment pressure and *Wang, Luo, Li, Dai, You* 591
Vortex Yarns
100% cotton: variable effects on properties of *Ortlek, Ulku,* 458
Voting Techniques
fiber recognition: PET/rayon composite yarn *Chiu, Liaw* . 442

Warp Breakage Rate
weaving: prediction by neural networks *Yao, Guo, Zhou* .. 274
Wavelet-Fractal Method
roughness: fabric surface evaluation *Kang, Kim, Sul, Youn, Chung* 751
roughness: fabric surface evaluation, pilling evaluation *Kim, Kang* 761
Wavelet Reconstruction
standard pilling photographs: image analysis *Kim, Kang* . 801
Wear
nylon 66 carpets inserted with low-melt polyamide yarns: Beck dyeing conditions *Balasubramanian, Miller* 213
Wear Comfort Response
heat-resistance protective workwear: thermophysical and sensorial properties of fabrics *Yoo, Barker* 523, 531
Weave Structures
mechanical properties: hand values and *Morino, Matsudaira, Furutani* 252
Weaving
cloth formation in: influence on fabric parameters *Chen* .. 281
warp breakage rate in: neural network techniques *Yao, Guo, Zhou* 274
weavable singles yarns: end breaks *Lappage* 507, 512
Wood Pulp
lyocell fabrics made with: physical and fabric hand characteristics of *Ahn, Yoo, Oh, Han, Lee, Kim, Song, Rhie* . 139
Wool
investigating plasma modification of: fabric surface and mechanical properties *Sun, Stylios* 639
reflectance and color differences: after abrasion *Alpay, Becerir, Akgun* 607
uptake of copper(II) by *Sheffield, Doyle* 203
Wool Fabrics
shrinkage prevention: bleaching and biopolishing *Cardamone, Yao, Phillips* 169
Workwear
heat-resistant protective: comfort properties *Yoo, Barker* 523, 531
Woven Fabrics
cardiovascular prostheses: mechanical behavior *Abdessalem, Mokhtar, Belaissia, Filali, Durand* 784
grab and strip tensile strengths: experimental verification *Wu, Pan* 789
shearing rigidity of: prediction *Wang, Xu, Xu* 30
Wrinkle Measurement
durable press treatments: fabric smoothness ratings and *Abidi, Hequet, Turner, Sari-Sarraf* 19

Yarns
air vortex twist in acting on: control *Zeng, Wan, Yu* 175
blended: slipping friction effects on stress concentration *Rossettos, Godfrey* 43
complex core spun: metal wire *Lou* 466
composite-covered: high-performance geogrids with PP/PET *Lin, Lin* 453
conductive multi-filament: electro-mechanical properties of *Zhang, Tao, Wang, Yu* 598
cotton stickiness effects: on quality *Hequet, Abidi, Ethridge,* 402
cotton vortex spun: effects of variables on properties *Ortlek, Ulku* 458

effect of draw-off angle: friction spinning *Merati, Okamura,* 812
enzyme-treated: hand-related mechanical behavior *Radhakrishnaiah, He, Cook, Buschle-Diller* 265, 293
low-melt polyamide: nylon 66 carpets inserted with, Beck dyeing conditions *Balasubramanian, Miller* 213
Lyocell blend and pile type: knit fabrics *Uçar, Karakaş* .. 352
non-fibrous material content of cotton: during processing *Brushwood* 616
nylon 6 and 66 face yarns: performance properties of carpets *Radhakrishnaiah* 157
PET/rayon composite cross-sections: fiber recognition of *Chiu, Liaw* 442
polyester core-spun: with spandex, ring spinning frame and drawing frame *Lou, Chang, Lin, Lei, Hsing* 395
polypropylene spun: optimum drafting conditions *Su, Lai* . 6
predicting processing performance: from the noncellulosic content of raw cottons *Brushwood* 1
rotor spun: cross-sectional packing density of *Jiang, Hu, Cheng, Postle* 233
shrinkage behavior: effects of chenille yarn parameters *Özdemir, Çeven* 219
simulation of dynamic behavior: airjet looms *De Muelemeester, Githaiga, Van Langenhove, Hang* 724
spun yarn failure: strength from fiber bundle *Ghosh, Ishtiaque, Rengasamy* 741
spun yarn failure: structure and testing parameters *Ghosh, Ishtiaque, Rengasamy* 731
trehalulose in formation of defects: Fourier transform infrared analysis *Abidi, Hequet* 645
two-strand spinning: nonlinear dynamic model for *He, Yu, Yu, Li, Wang* 181
weavable singles: end breaks in the spinning and weaving *Lappage* 507, 512
Yarn Spinning
two-strand: linear dynamic model *He, Yu, Yi, Li, Wang* .. 87